

Briton

لیست قیمت محصولات

Value برایتون


اسفند ماه ۱۴۰۳



AHD Camera

EMB Series 1080P Lite

1. UVR-A04EMB-D74G



H.265+ 4ch 1080P Lite 5 in 1 UVR
4 Ch 15fps Recording / 4CH Playback
Video I/O 4 /1; Audio 1 /1
HDMI / VGA /CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage,
lock Files , multicast
Extra 2CH IP



30,500,000 IR

2. UVR-A08EMB-D78G




H.265+ 8ch 1080P Lite 5 in 1 UVR
8 Ch 15fps Recording / 4CH Playback
Video I/O 8 /1; Audio 1 /1
HDMI / VGA /CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage
lock Files , multicast



37,000,000 IR

EM Series 1080P Lite

1. UVR-A04EM-D74G



H.265+ 4ch 1080P Lite 5 in 1 UVR
4 Ch 15fps Recording / 4CH Playback
Video I/O 4 /1; Audio 1 /1
HDMI / VGA /CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage,
lock Files , multicast
Extra 2CH IP



30,500,000 IR

2. UVR-A08EM-D78G




H.265+ 8ch 1080P Lite 5 in 1 UVR
8 Ch 15fps Recording / 4CH Playback
Video I/O 8 /1; Audio 1 /1
HDMI / VGA /CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage
lock Files , multicast




37,000,000 IR

EHB Series ⁵MP_{Lite}

5. UVR-C04EHB-D74G



H.265+ 4ch 5MP Lite 20fps 5 in 1 UVR
4ch 5MP 20fps Recording/2ch Playback
Video I/O: 4/ 1; Audio: 1 /1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback , Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection , area Intrusion
4CH Face Detection, 4CH Human Body Detection ,Extra 2CH IP



6. UVR-C08EHB-D78G



H.265+ 8ch 5MP Lite 12fps 5 in 1 UVR
8ch 5MP 12fps Recording/4ch Playback
Video I/O: 8/ 1; Audio: 1 /1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback . Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection ,area Intrusion
8CH Face Detection, 8CH Human Body Detection



7. UVR-F16EHB-D7C6



H.265+ 16ch 5MP Lite 12fps 5 in 1 UVR
8CH 5MP Lite@7fps , 8CH 4MP Lite@9fps, 16CH 1080P Lite@12fps Recording
16ch Playback , Video I/O: 16/ 1; Audio 1 /1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback . Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection , intrusion detection
8CH Face Detection , 8CH Human Detection



1. UVC-211B19P

(3.6mm)



1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
12pcs SMD LED
IR range up to 25M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm

Gross Weight: 117g


Housing Material: Plastic



11,000,000 IR

2. UVC-211B19P-C

(3.6mm)



1/ 3" CMOS Sensor
2MP@25/30fps
3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output , Full color
Fixed Bullet Camera
1 PCS Warm light
Warm light range up to 25M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm

Gross Weight: 117g

Housing Material: Plastic



12,000,000 IR

3. UVC-211B19M

(3.6mm)



1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm

Gross Weight: 270g


Housing Material: Metal



13,500,000 IR

4. UVC-211B19M-C

(3.6mm)



1/ 3" CMOS Sensor/2MP
3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera
1pcs Warm Light
Warm light range up to 30M
3.6mm Lens
IP66

Size: ۶۱۵۲x۶۸m

Gross Weight: 270g

Housing: Metal



15,000,000 IR

5. UVC-211T43P

(3.6mm)



1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
1pcs SMD LED
IR range up to 25M
3.6mm Lens
IP65

Size: 96.8x85.5mm

Gross Weight: 120 g


Housing Material: Plastic



9,700,000 IR

6. UVC-211T43P-C

(3.6mm)




1/ 3" CMOS Sensor
2MP@25/30fps
3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , Full color
2 pcs Warm light
Warm light range up to 25M
3.6mm Lens
IP65

Size: 96.8x85.5mm

Gross Weight: 120 g

Housing Material: Plastic



10,300,000 IR

7. UVC-212T45P-M (2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera, **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Fixed Lens
IP65
Size: 96.8x85.5mm

Gross Weight: 120 g

Housing Material: Plastic



10,900,000 IR

8. UVC-212T43P-M (2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera, **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Fixed Lens
IP65
Size: 96.8x85.5mm

Gross Weight: 120 g

Housing Material: Plastic



10,900,000 IR

9. UVC-212T45P-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
Warm light range up to 25M
2.8mm Fixed Lens, F1.6
Weather Resistance : IP65

Plastic Housing
Size: Ø96.8*85.5mm

Gross Weight: 120g



13,800,000 IR

10. UVC-511B19M (3.6mm)



1/ 2.5" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
3.6mm Lens
IP66
Size: $\varnothing 152 \times 67.5 \times 57.5$ (H)mm
Gross Weight: 270g

Housing: Metal



15,100,000 IR

11. UVC-512B19M-C (3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Fullcolor**
1pcs Warm Light
Warm light range up to 30M
3.6mm Lens ,F1.6
IP66
Size: $\varnothing 152 \times 67.5 \times 57.5$ (H)mm
Gross Weight: 270g

Housing: Metal



21,800,000 IR

12. UVC-511B19M-MC (3.6mm)



1/ 3" CMOS Sensor
5MP@20fps
2D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
1pcs Warm Light , **Full color**
Warm light range up to 30M
3.6mm Lens ,F1.6
IP66
Size: $\varnothing 68 \times 153$ mm
Gross Weight: 320g

Housing: Metal



22,600,000 IR

13. UVC-83T02 (3.6mm)



1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
12pcs SMD LED
IR range up to 30M
3.6mm Lens
IP65
Size: $\varnothing 91.5 \times 77$ (H)mm 5MP
Gross Weight: 130g

Housing: Plastic



11,400,000 IR

14. UVC-511T02P (3.6mm)



1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
12pcs SMD LED
IR range up to 30M
3.6mm Lens
IP65
Size: $\varnothing 91.5 \times 77$ (H)mm 5MP
Gross Weight: 130g

Housing: Plastic



11,400,000 IR

15. UVC-512T43P (3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
1pcs SMD LED
IR range up to 25M
3.6mm Lens
IP65
Size: c96.8*85.5(H)mm
Gross Weight: 120g

Housing: Plastic



16. UVC-512T43P-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens , F1.6
IP65
Size: c96.8*85.5(H)mm
Gross Weight: 120g

Housing: Plastic




17. UVC-512T43P-C (3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
Warm light range up to 25M
3.6mm Lens
IP65
Size: c96.8*85.5(H)mm

Gross Weight: 120g

Housing: Plastic



18. UVC-512T45P-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs Warm light,
Warm light range up to 25M
2.8mm Lens, F1.6
Weather Resistance : IP65

Plastic Housing

Size: c96.8x85.5mm

Gross Weight: 120g



19. UVC-512T9QR-C (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
Warm light range up to 30M
2.8mm Lens , F 1.6
IP67
Size: c92 x 88mm

Gross Weight: 205g

Housing: Plastic+Metal



20. UVC-512T9QR-C (3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
Warm light range up to 30M
3.6mm Lens , F 1.6
IP67
Size: c92 x 88mm

Gross Weight: 205g

Housing: Plastic+Metal

