

Briton

لیست قیمت محصولات تحت شبکه سری Value برایتون

اسفند ماه ۱۴۰۳




IP Camera


1. NVR-7S04P-D58





4CH H.265+ , NVR Bandwidth I/O:30M/20M
Support 5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
4CH 1080P 30fps Playback
18 Smart function include **Face detection**
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(8Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm



2. NVR-7S08P-D58




8CH H.265+ , NVR Bandwidth I/O:64M/20M
Support 5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
4CH 1080P 30fps Playback
18 Smart function include **Face detection**
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(8Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm




3. NVR-7CL04P-D58K





4CH H.265+ **4K**
NVR Bandwidth I/O:40M/80M
Support 8MP/5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
4CH 1080P 30fps Playback
18 Smart function include **Face detection, SMD & PP**
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(10Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/1.5A Adapter
Dimension:250x230x45mm




4. NVR-7CL08P-D58K




8CH H.265+ **4K**
NVR Bandwidth I/O:80M/80M
Support 8MP/5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF Cameras
6CH 1080P 30fps Playback
18 Smart function include **Face detection, SMD & PP**
Smart playback , Cloud Update , Cloud storage
HDMI, VGA, SATA*1(10Tb HDD), 3G/4G, WIFI
USB Mouse, DC12V/1.5A Adapter
Dimension:250x230x45mm



5. NVR-7CK08P-D58E




8CH H.265+ **4K**
NVR Bandwidth I/O:80M/80M
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF
8CH 1080P 30fps Playback
18 Smart function include **Face detection , SMD & PP**
Audio I/O: 1 /1
HDMI, VGA, SATA*1(12T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Dimension:250x230x45mm



6. NVR-7CK16P-G1L



16CH H.265+ **4K**
NVR Bandwidth I/O: 160M/80M
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P/D1/CIF/QCIF
8CH 1080P 30fps Playback
18 Smart function include **Face detection , SMD & PP**
Audio I/O:1/ 1; **Alarm I/O:8/ 1**
HDMI, VGA, SATA*2(12T HDD), 3G/4G, WIFI
USB Mouse, DC12V/4A Adapter
Dimension: 326x243x52mm mm



NVR

7. NVR-6CB16P-N53




16CH H.265+ 4K NVR **Bandwidth I/O:160M/256M**
16CH IP Video input, up to 12MP 16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include **Face detection , SMD & PP**
SMD , Audio I/O:1/ 1; **Alarm I/O:8 /1**
HDMI, VGA, **SATA*2(10T HDD)**, 3G/4G, WIFI
Remote Control , USB Mouse, DC12V/5A Adapter
Dimension:380 x 305 x 45mm



8. NVR-7CB32P-G1L



32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
32CH IP Video input Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include **Face detection , SMD & PP**
Audio I/O:1/ 1; **Alarm I/O:8/ 1**
HDMI, VGA, **SATA*2 (10T HDD)**, 3G/4G, WIFI
Remote Control, USB Mouse, DC12V/4A Adapter
Dimension:326(W)x243(D)x52(H)mm



9. NVR-6CB32P-N53



32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
32CH IP Video input Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include **Face detection , SMD & PP**
Audio I/O:1/ 1; **Alarm I/O:8/ 1**
HDMI, VGA, **SATA*2 (10T HDD)**, 3G/4G, WIFI
Remote Control, USB Mouse, DC12V/5A Adapter
Dimension:380(W)x305(D)x45(H)mm



10. NVR-6B32EP-W27-4H




32CH H.265+ 4K NVR **Bandwidth I/O :256M/256M**
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
32ch 8MP Record/4ch 8MP Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include **Face detection , SMD & PP**
32ch 1080P Record/16ch 1080P Playback
Audio I/O:1/ 2; **Alarm I/O:16 /4**
1*RS485 1*HDMI, VGA, **SATA*4(10T HDD)**, 3G/4G, WIFI
Remote Control , USB Mouse, AC100~240V
Dimension:440(W)x452(D)x90(H)mm



11. NVR-6CB32P-W26-8H




32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
32ch 8MP Record/4ch 8MP Playback /32ch 8MP Recording/16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include **Face detection , SMD & PP**
Audio I/O:1 /2; **Alarm I/O:16 /4**
2*RS485 2*HDMI, VGA, **SATA*8(10T HDD)**, eSATA*1, 3G/4G, WIFI
Remote Control , USB Mouse, AC100~240V
Dimension:440(W)x452(D)x90(H)mm



12. NVR-6B64P-W26-8H



64CH H.265+ 4K NVR **Bandwidth I/O:320M/256M**
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
64ch 8MP Record/4ch 8MP Playback
64ch 8MP Recording/16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
18 Smart function include Face detection , SMD & PP
Audio I/O:1 /2, **Alarm I/O:16 /4** , 2*RS485
2*HDMI,VGA,SATA*8(10T HDD),e SATA*1,3G/4G,WIFI
Remote Control , USB Mouse,AC100~240V
Dimension:440(W)×452(D)×90(H)mm



1. IPC-72B19M-MS



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, Mobile Surveillance
5 Smart Functions
Starlight , **Built-in Mic**
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
18 pcs IR light / IR Range **30m**
Fixed focal lens,3.6mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ68 × 152.4 mm Gross Weight: 415g



25,500,000 IR

2. IPC-72B49M-MS



H.265 + 2 MP Network Camera, 1 / 2.9 " CMOS Sensor
Smart IR, DWDR,2D/ 3D DNR, Mobile Surveillance
5Smart Functions
Starlight, Built in Mic
25fps 1080 P(1920 ×1080) 25 fps 960 P(1280 ×960 25 fps 720 P(1280 ×720
2pcs Array LED / IR Range 30 m
Fixed focal lens,2.8 mm
IP67 , Metal Housing, DC 12 V, Built in POE
Size:Φ 6868×153 mm Gross Weight: 420 g



28,600,000 IR

3. IPC-72B49M-MSL



H.265 + 2 MP Network Camera, 1 / 2.9 " CMOS Sensor
Smart IR, DWDR,2D/ 3D DNR, Mobile Surveillance
5Smart Functions
Starlight, Built in Mic , Strobe light
25fps 1080 P(1920 ×1080) 25 fps 960 P(1280 ×960 25 fps 720 P(1280 ×720
2pcs Array LED / IR Range 30 m
Fixed focal lens,2.8 mm
IP67 , Metal Housing, DC 12 V, Built in POE
Size:Φ 6868×153 mm Gross Weight: 420 g



28,600,000 IR

4. IPC-72B49M-MSC



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, Mobile Surveillance
Starlight , **Full color , Built-in Mic**
5 Smart Functions
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Warm light/Warm light range up to **30m**
Fixed focal lens,3.6mm@**F1.6**
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ68×153mm Gross Weight: 420g



30,000,000 IR

5. IPC-72B49M-FMU



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR , Mobile Surveillance
5 Smart Functions
30fps 1080P(1920 × 1080) , 30fps 960P(1280 × 960) , 30fps 720P(1280 × 720)
Dual light :30m(IR light) 30m(warm light)
Fixed focal lens,3.6mm@**F1.6**
SD Card **Support 128GB**,Reset Button ,DC12V, **Built in Mic**
IP67, Metal Housing, Built-in POE
Size: Φ68 × 153.1 mm Gross Weight: 409g



32,000,000 IR

6. IPC-72B1AM-TMU



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR , Mobile Surveillance
5 Smart Functions
30fps 1080P(1920 × 1080) , 30fps 960P(1280 × 960) , 30fps 720P(1280 × 720)
Dual light :30m(IR light) 30m(warm light)
Fixed focal lens,3.6mm@**F1.6**
SD Card **Support 128GB**,Reset Button ,DC12V, **Built in Mic**
IP67, Metal Housing, Built-in POE
Size: Φ 68 × 172.3 mm Gross Weight: 465g



34,000,000 IR

7. IPC-72T9QR-MS




H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs IR Light/ IR Range **30m**
Fixed focal lens,3.6mm
IP67, Metal + Plastic Housing,
Size: Φ68×153mm

DC12V, Built-in POE
Gross Weight: 420g



25,500,000 IR

8. IPC-72T9AR-MS



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , **Full color**, Built-in Mic
5 Smart Functions
25fps 1080P(1920 × 1080) 25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Warm light/ Warm light range up to **30m**
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal + Plastic Housing,
Size: Φ103.5 × 83.6 mm

DC12V, Built-in POE
Gross Weight: 320g



30,000,000 IR

9. IPC-72T9AR-FMU




H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR , Mobile Surveillance
5 Smart Functions
30fps 1080P(1920 × 1080) , 30fps 960P(1280 × 960) , 30fps 720P(1280 × 720)
Dual light :30m(IR light) 30m(warm light)
Fixed focal lens,2.8mm@**F1.6**
SD Card **Support 128GB**,Reset Button ,DC12V, **Built in Mic**
IP67, Metal+Plastic Housing, Built-in POE
Size: Φ103.5 × 83.6 mm

Gross Weight: 315g



31,000,000 IR

10. IPC-72T9AM-TMU



H.265+ **2MP** Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, Mobile Surveillance
5 Smart Functions
30fps 1080P(1920 × 1080) , 30fps 960P(1280 × 960) , 30fps 720P(1280 × 720)
Dual light :30m (IR light) ,30m (warm light)
Fixed focal lens,2.8mm@**F1.6**
SD Card **Support 128GB**,Reset Button ,DC12V,, **Built in Mic**
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ103.5 × 82.4 mm

Gross Weight: 435g



34,000,000 IR

11. IPC-75B19M-MS



H.265+ **5MP** Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , **Built-in Mic**
Dual Stream,20fps @5MP , 20fps @4MP,25fps 1080P
pcs Array LED / IR Range **30m**
Fixed focal lens,3.6mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ68×153mm

Gross Weight: 420g



34,700,000 IR

12. IPC-75B49M-MS



H.265+ **5MP** Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, **WDR**&DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , **Built-in Mic**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ68×153mm

Gross Weight: 420g



41,600,000 IR

13. IPC-75B49M-MSL




H.265+ **5MP** Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, **WDR&DWDR**, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , **Built-in Mic, Strobe light**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@**F1.6**
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



41,600,000 IR

14. IPC-75B49M-MSC



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, **WDR&DWDR**, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight ,Full color , **Built-in Mic**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2 pcs Warm light/ Warm light range up to **30m**
Fixed focal lens,3.6mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 420g



48,500,000 IR

15. IPC-75B49M-FMU



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, **WDR** , 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions ,SMD , PP
Starlight , **Built-in Mic**
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
Dual light :30m (IR light) ,30m (warm light)
Fixed focal lens,3.6mm@F1.6
IP67, Metal Housing, SD Card Support 256GB ,DC12V, Built-in POE
Size: Ø68x153mm

Gross Weight: 465g



52,000,000 IR

16. IPC-414557B1A-TMU



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + **Face Detection**
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
Dual light :30m (IR light),30m (warm light)
Fixed focal Lens , 3.6mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 , Metal Housing Size: 68x172.3mm Gross Weight: 490g



CALL

17. IPC-75T9QR-MS



H.265+ **5MP** Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , **Built-in Mic**
Dual Stream,20fps @5MP , 20fps @4MP,25fps 1080P
pcs Array LED / IR Range **30m**
Fixed focal lens,3.6mm
IP67, Metal +Plastic Housing, DC12V, Built-in POE
Size: Ø103.5x83.6mm

Gross Weight: 330g



34,700,000 IR

18. IPC-75T9AR-MS




H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, **WDR&DWDR**, 2D/3D DNR , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
2pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø103.5x83.6mm

Gross Weight: 330g



41,600,000 IR

19. IPC-75T9AR-MS



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
 Smart IR, **WDR**&DWDR, 2D/3D DNR, / , Mobile Surveillance
 5 Smart Functions
 Starlight ,**Full color** , **Built-in Mic**
 Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
 2 pcs Warm light/ Warm light Range up to 30m
 Fixed focal lens,2.8mm@F1.6
 IP67, Metal + Plastic Housing , DC12V, Built-in POE
 Size: Φ 102 x 83.6mm
 Gross Weight: 330g



48,500,000 IR

20. IPC-75T9AR-FMU




H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
 Smart IR, **WDR** , 2D/3D DNR, / , Mobile Surveillance
 5 Smart Functions , SMD,PP
 Starlight , **Built-in Mic**
 Triple Stream,25fps @5MP , 25fps @4MP,25fps 1080P
Dual light :30m (IR light),30m (warm light)
 Fixed focal lens,2.8mm@F1.6
 IP67, Metal + Plastic Housing , SD Card Support 256GB ,DC12V, Built-in POE
 Size: Φ 103.5 x 83.6mm
 Gross Weight: 325g



52,000,000 IR

IOT

21. IOT-7Q261P8



1/ 2.9" CMOS Sensor/1080P
 IR range up to 10M
SMD(Human) , Human Tracking
 3.6mm Fixed Lens
 SD Card Support (128GB)
 Wifi 802.11 b/g/n Wireless 2.4G , Onvif 2.6
 0°~355° Horizontal Rotation -10°~95° Vertical Rotation,
 1.5m Cable Length, DC5V/1.6A, Size: 81*113mm, Gross Weight: 214.2g



18,400,000 IR

22. IOT-72P8



1/ 3" CMOS Sensor/1080P
 IR range up to 10M
Support Cry detection
SMD(Human) , Human Tracking
 SD Card Support (256GB)
 Wifi 802.11 b/g/n Wireless 2.4G
 0°~355° Horizontal Rotation -10°~95° Vertical Rotation,
 1.5m Cable Length ,DC5V/1A ,Size: 81*113mm , Gross Weight: 330g



20,000,000 IR

23. IOT-7Q261P8M




1/ 2.9" CMOS Sensor/1080P
 IR range up to 10M
SMD(Human) , Human Tracking
 3.6mmLens
 SD Card Support (128GB)
 Wifi 802.11 b/g/n Wireless 2.4G , Onvif 2.6
 0°~355° Horizontal Rotation -10°~95° Vertical Rotation,
 1.5m Cable Length ,DC5V/1A ,Size: φ81X113 mm , Gross Weight: 330g



20,500,000 IR

24. IOT-72B72-TMSC



1/ 2.9" CMOS Sensor/1080P
 Warm light range up to 20M
Motion Detection , SMD(Human)
 3.6mmLens
 SD Card Support (256GB)
 Wifi 802.11 b/g/n Wireless 2.4G , Onvif 2.6
 IP67, Metal+Plastic Housing
 DC12V, Size: φ74.7X165 mm, Gross Weight: 445g



30,500,000 IR



23,000,000 IR



44,900,000 IR



23,000,000 IR



52,000,000 IR



53,000,000 IR



54,500,000 IR

25. IPC-7Q261B48R-1



H.265+ **2MP** Network Camera 1/ 2.9" CMOS
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
Line Crossing, Area Intrusion, **SMD Based on Human Body Detection**
Dual Stream: 25 /30fps @ 1080P, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
2 PCs SMD LED, IR Range up to **30m**
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in POE
Size: 69x165.5mm
Gross Weight: 224g

26. IPC-74521B1A-TAL



H.265+ 2MP Network Camera, 1/ 2.8" CMOS Starlight
Smart IR, 120dB WDR, 2D/3D DNR, Audio I/O: 1/ 1, Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25 /30fps@1080P, 25/ 30fps@720P, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI
2pcs Array LED / IR Range 30m 1pcs Strobe Light
3.6 mm Fixed Lens
IP66, Metal housing, DC12V, Built-in POE, SD Card Support 128G
Size: 66x175.3mm Gross Weight: 280g

27. IPC-7Q261T9AQ-1



H.265+ **2MP** Network Camera 1/ 2.9" CMOS
Smart IR, DWDR, 2D/3D DNR, Mobile Surveillance
Line Crossing, Area Intrusion, **SMD Based on Human Body Detection**
Dual Stream: 25 /30fps @ 1080P, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
2pcs Array LED/ IR range **30m**
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in POE
Size: c92 x88(H) mm
Gross Weight: 240g

28. IPC-414211D89C-TML



H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR, 120db WDR, 2D/3D DNR, Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
18pcs SMD LED/ IR range 30m, Strobe light
Fixed 2.8mm Manual Lens
IP67, Metal Housing .IK10, SD Card support 128GB, Built in Mic
DC12V, Built-in POE Size: 62x164mm
Gross Weight: 460g

29. IPC-74520C29-AI



H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight
Smart IR, **DWDR**, 2D/3D DNR; Audio I/O: 1/ 1, Mobile Surveillance
5 Smart Functions
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX30pcs SMD LED/ IR range 50m
Manual Varifocal **2.8- 12mm Lens**
IP66 Metal Housing, DC12V, Built-in POE
Size: 235x73x83mm Gross Weight: 700g

30. IPC-74521C29-AI



H.265+ 2MP Network Camera, 1/ 2.8" Sony CMOS Sensor Starlight
Smart IR, **120dB WDR**, 2D/3D DNR, Audio I/O: 1/ 1, Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25 /30fps@1080P, 25/ 30fps@720P, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI
14μ*30pcs SMD LED, IR range up to 50M
Manual Varifocal **2.8- 12mm Lens**
IP66, Metal Housing, DC12V, Built-in POE
Size: 235x73x83mm Gross Weight: 760g

31. IPC-74520E91-I




H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
5 Smart Functions + Face Detection
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14µX24pcs SMD LED/ IR range 40m
Varifocal 2.8- 12mm Manual Lens
IP66 Metal Housing, DC12V, Built-in POE
Size: 140x105mm Gross Weight: 780g



53,000,000 IR

32. IPC-715211U9C-ML



H.265+ 2MP Network Camera, 1/ 2.8" CMOS Starlight
Smart IR, DWDR, 2D/3D DNR, IRCUT Filter, Mobile Surveillance
5 Smart Functions
Dual Stream: 25 @1080P, Onvif2.6, Profile S, CGI
30pcs Array LED / IR Range 40m
Manual Varifocal 2.8-12mm Lens
IP67, Metal housing
DC12V, Built-in POE, Built in Mic
Size: 140x104.7mm Gross Weight: 800g



65,000,000 IR

33. IPC-714211C2C-TALZ



H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR, 120db WDR, 2D/3D DNR ; Audio I/O: 1/ 1,
Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
4pcs SMD LED/ IR range 50m
Motorized Lens , 2.7-13.5mm
IP67, Metal Housing SD Card support 128GB
DC12V, Built-in POE Size: 74.5x218.9mm Gross Weight: 870g



CALL

34. IPC-714211E89-TMZ



H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR, 120db WDR, 2D/3D DNR ; Audio I/O: 1/ 1,
Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
4pcs SMD LED/ IR range 40m
Motorized Lens , 2.7-13.5mm
IP67, Metal DC12V, Built-in POE
Size: 142x114.9mm Gross Weight: 950g



CALL

35. IPD-6N25AQ61P-FP



H.265+ 2MP (Sony) Progressive scan Cmos Sensor (1/2.8"), Starlight
25X Optical Lens (4.7~118 mm), 2D/3D DNR, WDR 120dB
Triple Stream: 25/30fps@2M, 25/30fps@D1, 25/30fps@CIF
Basic Analysis, Onvif, Profile S, CGI, Mobile Surveillance
Support POE,
SD Slot up to 128GB, Audio: 1/1, Alarm: 1/1
Up to 100M Smart IR SMD Technology
IP66, 6KV Lightning Protection



315,000,000 IR



32,400,000 IR

36. IPC-7L552T9AQ-I



H.265+ **5MP** Network Camera 1/ 2.7" CMOS
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance
Dual Stream: 20fps @ 5MP, 25 /30fps @D1, Onvif2.6,Pro le S,CGI
18 PCs Array LED, IR Range up to **30m**
3.6mm Fixed Lens
IP67, DC12V/2A, Built-in PoE
Size: 67.5x57.5x152mm
Gross Weight: 350g



72,000,000 IR

37. IPC-74650E89-AI



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR, 120dB WDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance
5 Smart Functions + Face Detection
TripleStream: 20 fps@5MP, 20fps@D1, Onvif2.6, Profile S, CGI
14μX24pcs SMD LED/ IR range 40m
Varifocal 2.8- 12mm Manual Lens
IP67, Metal Housing, IK10, DC12V,Built-in POE
Size: 142x113mm Gross Weight:940g



73,000,000 IR

38. IPC-70651E89WD-AI



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR, 120dB WDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance
13 Smart Functions + Face Detection
TripleStream: 25 /30fps@5MP, 25/ 30fps@D1, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI
14μX24pcs SMD LED/ IR range 50m
Varifocal 2.8- 12mm Manual Lens
IP67, Metal Housing, IK10, DC12V,Built-in POE
Size: 142x113mm Gross Weight:940g



CALL

39. IPD-69513Q81-FP



H.265+ 5MP (Sony) Progressive scan Cmos Sensor (1/2.8"),**Starlight**
8" **32X** High Speed Dome, Optical Lens (4.8~154 mm), 2D/3D DNR, **WDR 120dB**
Triple Stream: 20fps@5MP, 25/30fps@720P,25/30fps@CIF
Smart Motion Detection (Human & Vehicle)
Perimeter Protection : line crossing , intrusion(Human & Vehicle)
Basic Analysis ,Onvif, Profile S, CGI, Mobile Surveillance
Support POE, **SD Slot up to 256GB,Audio: 1/1, Alarm: 1/1**
Up to 250M Smart IR SMD Technology
IP66, 6KV Lightning Protection