




لیست قیمت محصولات تحت شبکه برایتون

۱۵ دی ماه ۱۴۰۴




IP Camera

2MP


1. IPC-52B4AP-FMU

2MP Network Camera , 1/ 3" CMOS Sensor
3.6mm Fixed Lens
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 2 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.256GB
IP67, Graphene Housing , Built in Mic




2. IPC-52B49M-FMU

2MP Network Camera , 1/ 3" CMOS Sensor
3.6mm Fixed Lens
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 2 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.256GB
IP67, Metal Housing , Built in Mic



3. IPC-72B49M-FMU

2MP Network Camera, 1/ 2.9" CMOS Sensor
3.6mm Fixed Lens @ F1.6
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 5 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.128GB
IP67, Metal Housing , Built in Mic



4. IPC-72B1AM-TMU

2MP Network Camera, 1/ 2.9" CMOS Sensor
3.6mm Fixed Lens @ F1.6
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 5 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67, Metal Housing , Built in Mic



5. IPC-74521B1A-TAL

2MP Network Camera, 1/ 2.8" CMOS Sensor
3.6mm Fixed Lens
Triple Stream : 30fps 1080P (1920 × 1080)
5 Smart Functions + Face Detection
IR range 30m + Strobe Light
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67, Metal Housing , Audio I/O: 1/ 1



6. IPC-74520C29-AI

2MP Network Camera, 1/ 2.8" CMOS Sensor
Manual Varifocal 2.8- 12mm Lens
Triple Stream: 30fps 1080P (1920 × 1080)
5 Smart Functions
IR range 50m
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
IP66, Metal Housing , Audio I/O: 1/ 1




7. IPC-74521C29-AI

2MP Network Camera, 1/ 2.8" CMOS Sensor
Manual Varifocal 2.8- 12mm Lens
Triple Stream: 30fps 1080P (1920 × 1080)
5 Smart Functions + **Face Detection**
IR range 50m
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
IP66, Metal Housing , Audio I/O: 1/ 1



8. IPC-714211C2C-TALZ

2MP Network Camera, 1/ 2.8" CMOS Sensor
Motorized Lens , 2.7-13.5mm
Triple Stream: 30fps 1080P (1920 × 1080)
SMD (Human) 5 Smart Functions
IR range 50m + Strobe light
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67, Metal Housing , Audio I/O: 1/ 1




گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

9. IPC-414211C2C-TAMLZ

2MP Network Camera, 1/ 2.8" CMOS Sensor
Motorized Lens , 2.7-13.5mm
Triple Stream: 30fps 1080P (1920 × 1080)
SMD (Human) 5 Smart Functions
IR range 50m + Strobe light
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67, Metal Housing , Built in Mic , Audio I/O:
1/ 1



10. IPC-92B2CM-TMC

2MP Network Camera 1/ 2.8" Sony CMOS Sensor
16mm , 12mm Fixed Lens
Triple Stream: 30fps 1080P (1920 × 1080)
5 Smart Functions
Warm light Range 40m
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IP67, Metal Housing , Built in Mic



11. IPC-52T9AR-FMU

2MP Network Camera , 1/ 3" CMOS Sensor
2.8mm Fixed Lens
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 2 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.256GB
IP67 , Metal Ball , Built in Mic



12. IPC-72T9AR-FMU

2MP Network Camera, 1/ 2.9" CMOS Sensor
2.8mm Fixed Lens @ F1.6
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 5 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.128GB
IP67 , Metal Ball , Built in Mic




13. IPC-72T9AM-TMU

2MP Network Camera, 1/ 2.9" CMOS Sensor
2.8mm Fixed Lens @ F1.6
30fps 1080P (1920 × 1080)
SMD , Perimeter Protection , 5 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67, Metal Housing , Built in Mic




14. IPC-414211D89C-TM

2MP Network Camera 1/ 2.8" CMOS Sensor
2.8mm Fixed Lens @ F1.6
Triple Stream: 30fps 1080P (1920 × 1080)
SMD (Human) , 5 Smart Functions
IR range 30m
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support 128GB)
IK10 , IP67, Metal Housing , Built in Mic



15. IPC-714211E89-TMZ

2MP Network Camera, 1/ 2.8" CMOS Sensor
Motorized Lens , 2.7-13.5mm
Triple Stream: 30fps 1080P (1920 × 1080)
SMD (Human) 5 Smart Functions
IR range 30m
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IK10 , IP67, Metal Housing , Built in Mic



4MP

16. IPC-94B2CM-TMC



4MP Network Camera 1/ 1.8" CMOS Sensor
2.8mm Fixed Lens, F1.0
Triple Stream: 20fps 4MP (2688 × 1520)
SMD, Perimeter Protection, 4 Smart Functions
 Warm light Range 30m
Real WDR 120db, 2D/3D DNR
 Onvif (Profile S / G / T) , PoE
 SD Card Support Max.256GB
 IP67, Metal Housing , Built in Mic



107,400,000 IR

17. IPC-94T9HM-TMC



4MP Network Camera 1/ 1.8" CMOS Sensor
2.8mm Fixed Lens, F1.0
Triple Stream: 20fps 4MP (2688 × 1520)
SMD, Perimeter Protection, 4 Smart Functions
 Warm light Range 30m
Real WDR 120db, 2D/3D DNR
 Onvif (Profile S / G / T) , PoE
 SD Card Support Max.256GB
 IP67, Metal Housing , Built in Mic



CALL

5MP

18. IPC-75B19M-MS

5MP Network Camera, 1/ 2.7" CMOS Sensor
3.6mm Fixed Lens
20fps @5MP
IR Range 30m
DWDR, 2D/3D DNR
Onvif (Profile S / G / T), PoE
IP66, Metal Housing, Built-in Mic



اتمام موجودی

19. IPC-55B49M-FMU

5MP Network Camera, 1/ 3" CMOS Sensor
2.8mm Fixed Lens @ F1.6
20fps @5MP
SMD, Perimeter Protection, 2 Smart Functions
Smart Dual light : 30m (IR), 30m (WL)
DWDR, 2D/3D DNR
Onvif (Profile S / G / T), PoE
On-board SD Card Support Max.256GB
IP67, Metal Housing, Built-in Mic



Smart Dual Light

60,400,000 IR

20. IPC-75B49M-FMU

5MP Network Camera, 1/ 2.7" CMOS Sensor
3.6mm Fixed Lens @ F1.6
Triple Stream : 30fps @5MP
SMD, Perimeter Protection, 5 Smart Functions, Face detection
Smart Dual light : 30m (IR), 30m (WL)
Real WDR 120db, 2D/3D DNR
Onvif (Profile S / G / T), PoE
On-board SD Card Support Max.256GB
IP67, Metal Housing, Built-in Mic



Smart Dual Light

88,600,000 IR

21. IPC-75B1AM-TMU

5MP Network Camera 1/ 2.7" CMOS Sensor
3.6mm Fixed Lens @ F1.6
Triple Stream : 30fps @5MP
SMD, Perimeter Protection, 5 Smart Functions + **Face Detection**
Smart Dual light : 30m (IR), 30m (WL)
Real WDR 120db, 2D/3D DNR
Onvif (Profile S / G / T), PoE
SD Card Support Max.128GB
IP67, Metal Housing, Built-in Mic



Smart Dual Light

اتمام موجودی

22. IPC-75B1AM-TMUSD

5MP Network Camera 1/ 2.7" CMOS Sensor
3.6mm Fixed Lens @ F1.6
Triple Stream : 20fps @5MP
SMD, Perimeter Protection, 4 Smart Functions
Smart Dual light : 30m (IR), 30m (WL)
Red/Blue Light Warning
Real WDR 120db, 2D/3D DNR
Onvif (Profile S / G / T), PoE
SD Card Support Max.256GB
IP67, Metal Housing, Built-in Mic & **Speaker**



Smart Dual Light

اتمام موجودی

23. IPC-617557B2C-TPMU

5MP Network Camera 1/ 2.7" CMOS Sensor
3.6mm Fixed Lens @ F1.6
Triple Stream : 30fps @5MP
SMD, Perimeter Protection, 10 Smart Functions + **Face Detection**
Smart Dual light : 40m (IR), 40m (WL)
Real WDR 120db, 2D/3D DNR
Onvif (Profile S / G / T), PoE
SD Card Support Max. 256GB
IP67, Metal Housing, Built in Mic
Audio I/O : 1/1, **Alarm I/O:1/1**



Smart Dual Light

CALL



24. IPC-75C2CM-TAMLZ

5MP Network Camera 1/ 2.7" CMOS Sensor
Motorized Lens, 2.7-13.5mm
Triple Stream : 30fps @5MP
SMD, Perimeter Protection, 5 Smart Functions + **Face Detection**
IR Range 50m, Strobe light
Real WDR 120dB, 2D/3D DNR
Onvif (Profile S / G / T), PoE
SD Card Support Max. 128GB
IP67, Metal Housing, Built in Mic
Audio I/O : 1/1



152,800,000 IR

25. IPC-6N513C2C-TPLZ

5MP Network Camera 1/ 2.8" CMOS Sensor
Motorized Lens, 2.7-13.5mm
Triple Stream : 30fps@5MP
SMD, Perimeter Protection, 17 Smart Functions + **Face Detection**
IR Range 70m, Strobe light
Real WDR 120dB, 2D/3D DNR
Onvif (Profile S / G / T), PoE
SD Card Support Max.128GB
IP67, Metal Housing
Audio I/O:1/1, **Alarm I/O:1/1**



CALL




گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

26. IPC-55T9AR-FMU

5MP Network Camera, 1/3" CMOS Sensor
2.8mm Fixed Lens @ F1.6
20fps @5MP
SMD, Perimeter Protection, 2 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
DWDR, 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.256GB
IP67, Metal Ball, Built-in Mic




27. IPC-75T9AR-FMU

5MP Network Camera, 1/2.7" CMOS Sensor
2.8mm Fixed Lens @ F1.6
Triple Stream : 30fps @5MP
SMD , Perimeter Protection, 5 Smart Functions,
Face detection
Smart Dual light : 30m (IR) , 30m (WL)
Real WDR 120db, 2D/3D DNR
Onvif (Profile S / G / T) , PoE
On-board SD Card Support Max.256GB
IP67, Metal Ball , Built-in Mic



28. IPC-75T9HM-TMUSD

5MP Network Camera 1/2.7" CMOS Sensor
2.8mm Fixed Lens @ F1.6
Triple Stream : 20fps @5MP
SMD , Perimeter Protection , 4 Smart Functions
Smart Dual light : 30m (IR) , 30m (WL)
Red/Blue Light Warning
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IP67, Metal Housing , Built-in Mic & **Speaker**



29. IPC-75D8FM-TMU

5MP Network Camera 1/2.7" CMOS Sensor
2.8mm Fixed Lens @ F1.6
Triple Stream : 30fps @5MP
SMD , Perimeter Protection ,
5 Smart Functions + **Face Detection**
Smart Dual light : 30m (IR) , 30m (WL)
Real WDR 120db , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10 , IP67, Metal Housing, Built-in Mic



30. IPC-617557D8FC-TPMU

5MP Network Camera 1/2.7" CMOS Sensor
2.8mm Fixed Lens @ F1.6
Triple Stream : 30fps@5MP
SMD , Perimeter Protection ,
10 Smart Functions + **Face Detection**
Smart Dual light : 40m (IR) , 40m (WL)
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max. 256GB
IK10 , IP67 , Metal Housing , Built in Mic
Audio I/O : 1/1 , **Alarm I/O:1/1**



31. IPC-714557U9C-TAMLZ

5MP Network Camera 1/2.7" CMOS Sensor
Motorized Lens , 2.7-13.5mm
Triple Stream : 30fps@5MP
5 Smart Functions
IR Range 40m
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67 , Metal Housing , Built in Mic
Audio I/O: 1/1



32. IPC-6N513E89C-TP(M)LZ

5MP Network Camera 1/2.8" CMOS Sensor
Motorized Lens , 2.7-13.5mm @ F1.6
Triple Stream : 30fps@5MP
SMD , Perimeter Protection ,
17 Smart Functions + **Face Detection**
IR Range 70m , Strobe light
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.128GB
IP67 , Metal Housing , Built in Mic(M Series)
Audio I/O:1/1 , **Alarm I/O:1/1**



8MP


33. IPC-6A813B2E-TPMU

8MP Network Camera 1/ 2.8" Sony CMOS Sensor
3.6 mm Fixed Lens @F1.6
Triple Stream : 30fps@8MP, 90fps@2MP
SMD, 10 Smart Functions + Face Detection
Smart Dual light : 40m (IR) , 30m (WL)
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10, IP67, Metal Housing, 6KV Surge Protection
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**




34. IPC-6A813C37-TPMLZ

8MP Network Camera 1/ 2.8" Sony CMOS Sensor
Motorized Lens , 2.7-13.5mm @ F1.6
Triple Stream : 30fps@8MP , 90fps@ 2MP
SMD , 11 Smart Functions + Face Detection
IR Range **70-80m** + **Strobe light**
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10 , IP67, Metal Housing , 6KV Surge Protection
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**




35. IPC-6A813C37-TPMUZ

8MP **AI ISP** Network Camera 1/ 2.8" Sony CMOS Sensor
Motorized Lens , 2.7-13.5mm @ F1.6
Triple Stream : 30fps@8MP , 90fps@ 2MP
SMD , 11 Smart Functions + Face Detection
Smart Dual light : 70m (IR) , 50m (WL)
Real WDR 130dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.512GB
IK10 , IP67, Metal Housing , 6KV Surge Protection
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**




36. IPC-6A813D90-TM

8MP Network Camera 1/ 2.8" Sony CMOS Sensor
2.8 mm Fixed Lens @F1.6
Triple Stream : 30fps@8MP , 60fps@ 2MP
SMD , 11 Smart Functions + Face Detection
IR Range 30-40m
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10 , IP67, Metal Housing , 6KV Surge Protection
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**




37. IPC-6A812E90-TLZ

8MP Network Camera 1/ 2.8" Sony CMOS Sensor
Motorized Lens , 2.7-13.5mm @ F1.6
Triple Stream : 30fps@8MP , 60fps@ 2MP
SMD , 11 Smart Functions + Face Detection
IR Range **50-60m** + **Strobe light**
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10 , IP67 , Metal Housing , 6KV Surge Protection
Built in Mic , Audio I/O:1/1 , **Alarm I/O:1/1**



Dual-Lens (180° Panoramic)


38. IPC-6A812B61-TPMSCD



Dual 4MP Network Camera 1/ 1.8" CMOS Sensor
4.0 mm Fixed Lens @F 1.0
Triple Stream 20fps@ 8MP(5120*1440)
Warm light Range 40m
Red & blue light warning
Onvif (Profile G/S/ T) , PoE
Real WDR 140db , 2D/3D DNR
SD Card Support Max.256GB
Dual internal Mic , internal Speaker
IK10 , IP67, Metal Housing , 6KV Surge Protection
Audio I/O:1/1 , Alarm I/O:1/1

Fisheye


39. IPC-4A613F01-TPMS



6MP Network Camera 1/ 2.5" CMOS Sensor
1.68 mm Fixed Lens @F2.0
6 Streams Transmission
4 Smart Functions
4CH@ePTZ (640*480 @30Fps)
3CH@ePTZ (2560*2560+ 1920*1080+640*480 @30Fps)
Fisheye + 4CH @ ePTZ (2560*2560+640*480@30 Fps)
Panoramic + 4CH @ ePTZ (2560*2560+640*480@30 Fps)
IR Range 20m
Real WDR 120dB , 2D/3D DNR
Onvif (Profile S / G / T) , PoE
SD Card Support Max.256GB
IK10 , IP67 , 6KV Surge Protection , Built in Mic & Speaker
Audio I/O:1/1 , Alarm I/O:1/1

PTZ

40. IPD-6N25AQ61P-FP



2MP Network Camera1/ 2.8" Sony CMOS Sensor
25X Optical Zoom , Lens (4.7~118 mm)
Triple Stream: 30fps 1080P (1920 × 1080)
SMD , 7 Smart Functions
Starlight
IR Range 100m
Onvif (Profile S / G / T) , PoE
Real WDR 120db , 2D/3D DNR
SD Card Support Max.128GB
IP66, 6KV Lightning Protection
Audio: 1/1, Alarm: 1/1

41. IPD-69513Q81-FP



5MP Network Camera1/ 2.8" Sony CMOS Sensor
32X Optical Zoom , Lens (4.8~154 mm)
Triple Stream: 20fps@5MP
SMD , Perimeter Protection , 15 Smart Functions
Starlight
IR Range 250m
Onvif (Profile S / G / T) , PoE
Real WDR 120db , 2D/3D DNR
SD Card Support Max.256GB
IP66, 6KV Lightning Protection
Audio: 1/1, Alarm: 1/1

42. IPD-6108Q04-TPZ



8MP Network Camera1/ 1.8" Sony CMOS Sensor
38X Optical Zoom , Lens (6~228 mm)
Triple Stream: 30fps@8MP(3840*2160)
SMD , Perimeter Protection , 15 Smart Functions
Starlight
IR Range 260m
Onvif (Profile G / S / T) , PoE
Real WDR 120db , 2D/3D DNR
SD Card Support Max.256GB
IP67, 6KV Surge Protection
Audio: 1/1 , Alarm: 1/1


NVR

به قیمت ها ۱۰٪ بابت ارزش افزوده اضافه شده است.

1. NVR-L401-4K-D5

(NVR-7CL04P-D58K)

4CH , 8MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O:40M/80M
4CH 1080P 30fps Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
Telegram / SMS Notification
HDMI , VGA , SATA x 1(10TB HDD)




63,700,000 IR

2. NVR-L801-4K-D5

(NVR-7CL08P-D58K)

8CH , 8MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 80M/80M
6CH 1080P 30fps Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
Telegram / SMS Notification
HDMI , VGA , SATA x 1(10TB HDD)



79,800,000 IR

3. NVR-K801-4K-D1

(NVR-7CK08P-D18E)

8CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 80M/80M
8CH 1080P 30fps Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
Telegram / SMS Notification
HDMI , VGA , SATA x 1(12TB HDD)
Audio I/O : 1 / 1



105,300,000 IR

4. NVR-K1602-4K-G1

(NVR-7CK16P-G1L)

16CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 160M/80M
8CH 1080P 30fps Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
Telegram / SMS Notification
HDMI , VGA , SATA x 2(12TB HDD)
Audio I/O : 1/ 1 , Alarm I/O : 8/ 1



118,200,000 IR

5. NVR-C3202-4K-G1

(NVR-7CB32P-G1L)

32CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 256M/256M
16ch 1080P Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
Telegram / SMS Notification
HDMI , VGA , SATA x 2(12TB HDD)
Audio I/O : 1/ 1 , Alarm I/O : 8/ 1




181,200,000 IR

6. NVR-C3204-4K-W2

(NVR-6CB32EP-W27-4H)

32CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 256M/256M
16ch 1080P Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
32ch 1080P Record/16ch 1080P Playback
1 x RS485, 1 x HDMI, VGA
SATA x 4(12TB HDD)
Audio I/O:1/ 2; Alarm I/O:16 / 4




525,100,000 IR

7. NVR-C3208-4K-W2

(NVR-6CB32P-W26-8H)

32CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 256M/256M
16ch 1080P Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
32ch 1080P Record/16ch 1080P Playback
2 x RS485, 2 x HDMI, VGA
SATA x 8(12TB HDD), 1x eSATA
Audio I/O:1/ 2; Alarm I/O:16 / 4




642,700,000 IR

8. NVR-B6408-4K-W2

(NVR-6B64P-W26-8H)

64CH , 12MP Support
H.265+/H.265 /H.264+/H.264
4K HDMI Output
NVR Bandwidth I/O : 320M/256M
16ch 1080P Playback
SMD , Perimeter Protection ,
18 Smart Functions + **Face detection**
Local P2P , Cloud Update , Cloud storage
32ch 1080P Record/16ch 1080P Playback
2 x RS485 2 x HDMI, VGA
SATA x 8(12TB HDD), 1x eSATA
Audio I/O:1/ 2; Alarm I/O:16 / 4



726,000,000 IR

گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

Ultra Series NVR

9. NVR-A3208-8KR-W1

32CH, 32MP Support
H.265+/H.265/H.264+/H.264
8K HDMI Output
NVR Bandwidth I/O: 1024M/800M (Without Raid)
18 Smart Functions + **Face detection**
Local P2P, Cloud Update, Cloud storage
32ch 1080P Record/8CH 8Mp@30fps
2xRJ45/ 1x2.5GE Or 2x(10/100/1000Mbps)
1 x RS485, 1xRS 232, 4x HDMI, 2xVGA
SATA x 8(22TB HDD), 1x eSATA
RAID 0, RAID 1, RAID 5, RAID 10
Audio I/O:1/ 2; Alarm I/O:16 /8



10. NVR-A6408-8KR-W1

64CH, 32MP Support
H.265+/H.265/H.264+/H.264
8K HDMI Output
NVR Bandwidth I/O: 1024M/800M (Without Raid)
18 Smart Functions + **Face detection**
Local P2P, Cloud Update, Cloud storage
32ch 1080P Record/8CH 8Mp@30fps
2xRJ45/ 1x2.5GE Or 2x(10/100/1000Mbps)
1 x RS485, 1xRS 232, 4x HDMI, 2xVGA
SATA x 8(22TB HDD), 1x eSATA
RAID 0, RAID 1, RAID 5, RAID 10
Audio I/O:1/ 2; Alarm I/O:16 /8



11. NVR-A6416-8KR-SW-Y1

64CH, 32MP Support
H.265+/H.265/H.264+/H.264
8K HDMI Output
NVR Bandwidth I/O: 1024M/800M (Without Raid)
18 Smart Functions + **Face detection**
Local P2P, Cloud Update, Cloud storage
32ch 1080P Record/8CH 8MP@30fps
3xRJ45/ 1x2.5GE Or 3x (10/100/1000Mbps)
2 x Gigabit SFP Port
2 x RS485, 1xRS 232, 4x HDMI, 2xVGA
SATA x 16(22TB HDD), 2 x eSATA
RAID 0, RAID 1, RAID 5, RAID 10
Audio I/O:1/ 2; Alarm I/O: 24 /8



12. NVR-A12816-8KR-SW-Y1

128CH, 32MP Support
H.265+/H.265/H.264+/H.264
8K HDMI Output
NVR Bandwidth I/O: 1024M/800M (Without Raid)
18 Smart Functions + **Face detection**
Local P2P, Cloud Update, Cloud storage
32ch 1080P Record/8CH 8MP@30fps
3xRJ45/ 1x2.5GE Or 3x (10/100/1000Mbps)
2 x Gigabit SFP Port
2 x RS485, 1xRS 232, 4x HDMI, 2xVGA
SATA x 16(22TB HDD), 2 x eSATA
RAID 0, RAID 1, RAID 5, RAID 10
Audio I/O:1/ 2; Alarm I/O: 24 /8

