

# Briton

## لیست قیمت محصولات تحت شبکه برای تون

۲۶ بهمن ماه ۱۴۰۴




# IP Camera

# 2MP

## 1. IPC-52B4AP-FMU

2MP Network Camera , 1/3" CMOS Sensor  
2.8mm, 3.6mm Fixed Lens  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 2 Smart Functions  
**Smart Dual Light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.256GB  
IP67, Graphene Housing , Built in Mic



## 2. IPC-52B49M-FMU

2MP Network Camera , 1/3" CMOS Sensor  
2.8mm, 3.6mm Fixed Lens  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 2 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.256GB  
IP67, Metal Housing , Built in Mic



## 3. IPC-72B49M-FMU

2MP Network Camera , 1/2.9" CMOS Sensor  
3.6mm Fixed Lens @ F1.6  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 5 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.128GB  
IP67, Metal Housing , Built in Mic



## 4. IPC-72B1AM-TMU

2MP Network Camera , 1/2.9" CMOS Sensor  
3.6mm Fixed Lens @ F1.6  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 5 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67, Metal Housing , Built in Mic



## 5. IPC-74521B1A-TAL

2MP Network Camera , 1/2.8" CMOS Sensor  
3.6mm Fixed Lens  
Triple Stream : 30fps 1080P (1920 × 1080)  
5 Smart Functions + Face Detection  
IR range 30m + Strobe Light  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67, Metal Housing , Audio I/O: 1/1



## 6. IPC-74520C29-AI

2MP Network Camera , 1/2.8" CMOS Sensor  
**Manual Varifocal 2.8- 12mm Lens**  
Triple Stream: 30fps 1080P (1920 × 1080)  
5 Smart Functions  
IR range 50m  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
IP66, Metal Housing , Audio I/O: 1/1




## 7. IPC-74521C29-AI

2MP Network Camera , 1/2.8" CMOS Sensor  
**Manual Varifocal 2.8- 12mm Lens**  
Triple Stream: 30fps 1080P (1920 × 1080)  
5 Smart Functions + Face Detection  
IR range 50m  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
IP66, Metal Housing , Audio I/O: 1/1



## 8. IPC-714211C2C-TALZ

2MP Network Camera , 1/2.8" CMOS Sensor  
**Motorized Lens , 2.7-13.5mm**  
Triple Stream: 30fps 1080P (1920 × 1080)  
SMD (Human) 5 Smart Functions  
IR range 50m + Strobe light  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67, Metal Housing , Audio I/O: 1/1



گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

## 9. IPC-414211C2C-TAMLZ



2MP Network Camera, 1/ 2.8" CMOS Sensor  
**Motorized Lens , 2.7-13.5mm**  
**Triple Stream: 30fps 1080P** (1920 × 1080)  
SMD (Human) 5 Smart Functions  
IR range 50m + Strobe light  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67, Metal Housing, Built in Mic, Audio I/O: 1/ 1



اتمام موجودی

## 10. IPC-92B2CM-TMC



2MP Network Camera 1/ 2.8" Sony CMOS Sensor  
**16mm , 12mm Fixed Lens**  
**Triple Stream: 30fps 1080P** (1920 × 1080)  
5 Smart Functions  
Warm light Range 40m  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IP67, Metal Housing, Built in Mic



175,500,000 IR

## 11. IPC-52T9AR-FMU



2MP Network Camera , 1/ 3" CMOS Sensor  
**2.8mm Fixed Lens**  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 2 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.256GB  
IP67 , Metal Ball, Built in Mic



Smart Dual Light

44,700,000 IR

## 12. IPC-72T9AR-FMU



2MP Network Camera, 1/ 2.9" CMOS Sensor  
**2.8mm Fixed Lens @ F1.6**  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 5 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.128GB  
IP67 , Metal Ball, Built in Mic



Smart Dual Light

اتمام موجودی

## 13. IPC-72T9AM-TMU



2MP Network Camera, 1/ 2.9" CMOS Sensor  
**2.8mm Fixed Lens @ F1.6**  
30fps 1080P (1920 × 1080)  
SMD , Perimeter Protection , 5 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67, Metal Housing, Built in Mic



Smart Dual Light

اتمام موجودی

## 14. IPC-414211D89C-TM



2MP Network Camera 1/ 2.8" CMOS Sensor  
**2.8mm Fixed Lens @ F1.6**  
**Triple Stream: 30fps 1080P** (1920 × 1080)  
SMD (Human) , 5 Smart Functions  
IR range 30m  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support 128GB)  
**IK10**, IP67, Metal Housing. Built in Mic




اتمام موجودی

## 15. IPC-714211E89-TMZ



2MP Network Camera, 1/ 2.8" CMOS Sensor  
**Motorized Lens , 2.7-13.5mm**  
**Triple Stream: 30fps 1080P** (1920 × 1080)  
SMD (Human) 5 Smart Functions  
IR range 30m  
**Real WDR 120db**, 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
**IK10**, IP67, Metal Housing, Built in Mic



اتمام موجودی

گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)  
قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

**4**MP

**16. IPC-94B2CM-TMC**



**4MP Network Camera** / 1.8" CMOS Sensor  
**2.8mm Fixed Lens, F1.0**  
**Triple Stream: 20fps 4MP** (2688 × 1520)  
**SMD, Perimeter Protection, 4 Smart Functions**  
 Warm light Range 30m  
**Real WDR 120db**, 2D/3D DNR  
**Onvif (Profile S / G / T) , PoE**  
**SD Card Support Max.256GB**  
**IP67, Metal Housing, Built in Mic**



148,500,000 IR

**17. IPC-94T9HM-TMC**



**4MP Network Camera** / 1.8" CMOS Sensor  
**2.8mm Fixed Lens, F1.0**  
**Triple Stream: 20fps 4MP** (2688 × 1520)  
**SMD, Perimeter Protection, 4 Smart Functions**  
 Warm light Range 30m  
**Real WDR 120db**, 2D/3D DNR  
**Onvif (Profile S / G / T) , PoE**  
**SD Card Support Max.256GB**  
**IP67, Metal Housing, Built in Mic**



148,500,000 IR

# 5MP

## 18. IPC-75B19M-MS

5MP Network Camera, 1/ 2.7" CMOS Sensor  
3.6mm Fixed Lens  
20fps @5MP  
IR Range 30m  
DWDR, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
IP66, Metal Housing, Built-in Mic



اتمام موجودی

## 19. IPC-55B49M-FMU

5MP Network Camera, 1/ 3" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
20fps @5MP  
SMD, Perimeter Protection, 2 Smart Functions  
**Smart Dual light** : 30m (IR), 30m (WL)  
DWDR, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
On-board SD Card Support Max.256GB  
IP67, Metal Housing, Built-in Mic



Smart Dual Light

60,400,000 IR

## 20. IPC-75B49M-FMU

5MP Network Camera, 1/ 2.7" CMOS Sensor  
2.8mm, 3.6mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps @5MP  
SMD, Perimeter Protection, 5 Smart Functions, Face detection  
**Smart Dual light** : 30m (IR), 30m (WL)  
**Real WDR 120db**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
On-board SD Card Support Max.256GB  
IP67, Metal Housing, Built-in Mic



Smart Dual Light

93,000,000 IR

## 21. IPC-75B1AM-TMU

5MP Network Camera 1/ 2.7" CMOS Sensor  
3.6mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps @5MP  
SMD, Perimeter Protection, 5 Smart Functions + **Face Detection**  
**Smart Dual light** : 30m (IR), 30m (WL)  
**Real WDR 120db**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
SD Card Support Max.128GB  
IP67, Metal Housing, Built-in Mic



Smart Dual Light

اتمام موجودی

## 22. IPC-75B1AM-TMUSD

5MP Network Camera 1/ 2.7" CMOS Sensor  
3.6mm Fixed Lens @ F1.6  
**Triple Stream** : 20fps @5MP  
SMD, Perimeter Protection, 4 Smart Functions  
**Smart Dual light** : 30m (IR), 30m (WL)  
**Red/Blue Light Warning**  
**Real WDR 120db**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
SD Card Support Max.256GB  
IP67, Metal Housing, Built-in Mic & **Speaker**



Smart Dual Light

اتمام موجودی

## 23. IPC-617557B2C-TPMU

5MP Network Camera 1/ 2.7" CMOS Sensor  
3.6mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps @5MP  
SMD, Perimeter Protection, 10 Smart Functions + **Face Detection**  
**Smart Dual light** : 40m (IR), 40m (WL)  
**Real WDR 120dB**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
SD Card Support Max. 256GB  
IP67, Metal Housing, Built in Mic  
Audio I/O : 1/1, **Alarm I/O:1/1**



Smart Dual Light

CALL



## 24. IPC-75C2CM-TAMLZ



5MP Network Camera 1/ 2.7" CMOS Sensor  
Motorized Lens, 2.7-13.5mm  
**Triple Stream** : 30fps @5MP  
SMD, Perimeter Protection, 5 Smart Functions + **Face Detection**  
IR Range 50m, Strobe light  
**Real WDR 120dB**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
SD Card Support Max. 128GB  
IP67, Metal Housing, Built in Mic  
Audio I/O : 1/1



184,900,000 IR

## 25. IPC-6N513C2C-TPLZ

5MP Network Camera 1/ 2.8" CMOS Sensor  
Motorized Lens, 2.7-13.5mm  
**Triple Stream** : 30fps @5MP  
SMD, Perimeter Protection, 17 Smart Functions + **Face Detection**  
IR Range 70m, Strobe light  
**Real WDR 120dB**, 2D/3D DNR  
Onvif (Profile S / G / T), PoE  
SD Card Support Max.128GB  
IP67, Metal Housing  
Audio I/O:1/1, **Alarm I/O:1/1**



CALL



گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

## 26. IPC-55T9AR-FMU

5MP Network Camera, 1/3" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
20fps @5MP  
SMD, Perimeter Protection, 2 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
DWDR, 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.256GB  
IP67, Metal Ball, Built-in Mic



Smart Dual Light

60,400,000 IR

## 27. IPC-75T9AR-FMU

5MP Network Camera, 1/2.7" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps @5MP  
SMD , Perimeter Protection, 5 Smart Functions,  
Face detection  
**Smart Dual light** : 30m (IR) , 30m (WL)  
**Real WDR 120db**, 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
On-board SD Card Support Max.256GB  
IP67, Metal Ball , Built-in Mic



Smart Dual Light

93,000,000 IR

## 28. IPC-75T9HM-TMUSD

5MP Network Camera 1/2.7" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
**Triple Stream** : 20fps @5MP  
SMD , Perimeter Protection , 4 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
**Red/Blue Light Warning**  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IP67, Metal Housing , Built-in Mic & Speaker



Smart Dual Light

اتمام موجودی

## 29. IPC-75D8FM-TMU

5MP Network Camera 1/2.7" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps @5MP  
SMD , Perimeter Protection ,  
5 Smart Functions + **Face Detection**  
**Smart Dual light** : 30m (IR) , 30m (WL)  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
**IK10** , IP67, Metal Housing, Built-in Mic



Smart Dual Light

117,600,000 IR

## 30. IPC-617557D8FC-TPMU

5MP Network Camera 1/2.7" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
**Triple Stream** : 30fps@5MP  
SMD , Perimeter Protection ,  
10 Smart Functions + **Face Detection**  
**Smart Dual light** : 40m (IR) , 40m (WL)  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max. 256GB  
**IK10** , IP67 , Metal Housing , Built in Mic  
Audio I/O : 1/1 , **Alarm I/O:1/1**



Smart Dual Light

CALL



## 31. IPC-714557U9C-TAMLZ

5MP Network Camera 1/2.7" CMOS Sensor  
**Motorized Lens , 2.7-13.5mm**  
**Triple Stream** : 30fps@5MP  
5 Smart Functions  
IR Range 40m  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67 , Metal Housing , Built in Mic  
Audio I/O: 1/1



Smart Dual Light

CALL



## 32. IPC-6N513E89C-TP(M)LZ

5MP Network Camera 1/2.8" CMOS Sensor  
**Motorized Lens , 2.7-13.5mm @ F1.6**  
**Triple Stream** : 30fps@5MP  
SMD , Perimeter Protection ,  
17 Smart Functions + **Face Detection**  
IR Range 70m , Strobe light  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.128GB  
IP67 , Metal Housing , Built in Mic(M Series)  
Audio I/O:1/1 , **Alarm I/O:1/1**



Smart Dual Light

CALL



گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)


قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

8MP

**33. IPC-78B1AM-TMUSD**



8MP Network Camera 1/ 2.7" CMOS Sensor  
2.8mm Fixed Lens @ F1.6  
**Triple Stream** : 20fps @8MP  
SMD, Perimeter Protection, 4 Smart Functions  
**Smart Dual light** : 30m (IR) , 30m (WL)  
**Red/Blue Light Warning**  
**Real WDR 120db** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IP67, Metal Housing , Built-in Mic & Speaker



**34. IPC-88B2CM-TMU**




8MP Network Camera 1/ 2.8" Sony CMOS Sensor  
3.6 mm Fixed Lens @F1.6  
**Triple Stream** : 30fps@8MP, 90fps@2MP  
SMD, 10 Smart Functions + Face Detection  
**Smart Dual light** : 40m (IR) , 30m (WL)  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IK10, IP67, Metal Housing, 6KV Surge Protection  
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**



**35. IPC-6A813C37-TPMLZ**




8MP Network Camera 1/ 2.8" Sony CMOS Sensor  
**Motorized Lens , 2.7-13.5mm @ F1.6**  
**Triple Stream** : 30fps@8MP , 90fps@ 2MP  
SMD , 11 Smart Functions + **Face Detection**  
IR Range **70-80m** + **Strobe light**  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IK10 , IP67, Metal Housing ,  
6KV Surge Protection  
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**



**36. IPC-88C2GM-TMUZ**




8MP **AI ISP** Network Camera 1/ 2.8" Sony CMOS Sensor  
**Motorized Lens , 2.7-13.5mm @ F1.6**  
**Triple Stream** : 30fps@8MP , 90fps@ 2MP  
SMD , 11 Smart Functions + **Face Detection**  
**Smart Dual light** : 70m (IR) , 50m (WL)  
**Real WDR 130dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.512GB  
IK10 , IP67, Metal Housing ,  
6KV Surge Protection  
Built in Mic, Audio I/O:1/1, **Alarm I/O:1/1**



**37. IPC-6A813D90-TM**




8MP Network Camera 1/ 2.8" Sony CMOS Sensor  
2.8 mm Fixed Lens @F1.6  
**Triple Stream** : 30fps@8MP , 60fps@ 2MP  
SMD , 11 Smart Functions + **Face Detection**  
IR Range 30-40m  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IK10 , IP67, Metal Housing,  
6KV Surge Protection  
Built in Mic , Audio I/O:1/1 , **Alarm I/O:1/1**



**38. IPC-6A812E90-TLZ**



8MP Network Camera 1/ 2.8" Sony CMOS Sensor  
**Motorized Lens , 2.7-13.5mm @ F1.6**  
**Triple Stream** : 30fps@8MP , 60fps@ 2MP  
SMD , 11 Smart Functions + **Face Detection**  
IR Range **50-60m** + **Strobe light**  
**Real WDR 120dB** , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IK10 , IP67 , Metal Housing,  
6KV Surge Protection  
Built in Mic , Audio I/O:1/1 , **Alarm I/O:1/1**




## Dual-Lens (180° Panoramic)

### 39. IPC-6A812B61-TPMSCD



Dual 4MP Network Camera 1/ 1.8" CMOS Sensor  
4.0 mm Fixed Lens @F 1.0  
Triple Stream 20fps @ 8MP(5120\*1440)  
Warm light Range 40m  
Red & blue light warning  
Onvif (Profile G/S/ T) , PoE  
Real WDR 140db , 2D/3D DNR  
SD Card Support Max.256GB  
Dual internal Mic , internal Speaker  
IK10 , IP67, Metal Housing , 6KV Surge Protection  
Audio I/O:1/1 , Alarm I/O:1/1




## Fisheye

### 40. IPC-4A613F01-TPMS



6MP Network Camera 1/ 2.5" CMOS Sensor  
1.68 mm Fixed Lens @F2.0  
6 Streams Transmission  
4 Smart Functions  
4CH @ePTZ (640\*480 @30Fps)  
3CH @ePTZ (2560\*2560+ 1920\*1080+640\*480 @30Fps)  
Fisheye + 4CH @ ePTZ (2560\*2560+640\*480@30 Fps)  
Panoramic + 4CH @ ePTZ (2560\*2560+640\*480@30 Fps)  
IR Range 20m  
Real WDR 120dB , 2D/3D DNR  
Onvif (Profile S / G / T) , PoE  
SD Card Support Max.256GB  
IK10 , IP67 , 6KV Surge Protection , Built in Mic & Speaker  
Audio I/O:1/1 , Alarm I/O:1/1




## PTZ

### 41. IPD-6N25AQ61P-FP



2MP Network Camera 1/ 2.8" Sony CMOS Sensor  
25X Optical Zoom , Lens (4.7-118 mm)  
Triple Stream: 30fps 1080P (1920 x 1080)  
SMD , 7 Smart Functions  
Starlight  
IR Range 100m  
Onvif (Profile S / G / T) , PoE  
Real WDR 120db , 2D/3D DNR  
SD Card Support Max.128GB  
IP66, 6KV Lightning Protection  
Audio: 1/1, Alarm: 1/1



### 42. IPD-69513Q81-FP



5MP Network Camera 1/ 2.8" Sony CMOS Sensor  
32X Optical Zoom , Lens (4.8-154 mm)  
Triple Stream: 20fps@5MP  
SMD , Perimeter Protection , 15 Smart Functions  
Starlight  
IR Range 250m  
Onvif (Profile S / G / T) , PoE  
Real WDR 120db , 2D/3D DNR  
SD Card Support Max.256GB  
IP66, 6KV Lightning Protection  
Audio: 1/1, Alarm: 1/1



### 43. IPD-6108Q04-TPZ



8MP Network Camera 1/ 1.8" Sony CMOS Sensor  
38X Optical Zoom , Lens (6-228 mm)  
Triple Stream: 30fps@8MP(3840\*2160)  
SMD , Perimeter Protection , 15 Smart Functions  
Starlight  
IR Range 260m  
Onvif (Profile G / S / T) , PoE  
Real WDR 120db , 2D/3D DNR  
SD Card Support Max.256GB  
IP67, 6KV Surge Protection  
Audio: 1/1 , Alarm: 1/1



گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد .

# NVR

## 1. NVR-L401-4K-D5 (NVR-7CL04P-D58K)

4CH , **8MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O:40M/80M  
4CH 1080P 30fps Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
**Local P2P, Cloud Update ,** Cloud storage  
**Telegram / SMS Notification**  
HDMI , VGA , SATA x 1(10TB HDD)



73,600,000 IR

## 2. NVR-L801-4K-D5 (NVR-7CL08P-D58K)

8CH , **8MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 80M/80M  
6CH 1080P 30fps Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
**Local P2P, Cloud Update ,** Cloud storage  
**Telegram / SMS Notification**  
HDMI , VGA , SATA x 1(10TB HDD)



92,200,000 IR

## 3. NVR-K801-4K-D1 (NVR-7CK08P-D18E)

8CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 80M/80M  
8CH 1080P 30fps Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
**Local P2P, Cloud Update ,** Cloud storage  
**Telegram / SMS Notification**  
HDMI , VGA , SATA x 1(12TB HDD)  
Audio I/O : 1 / 1



126,400,000 IR

## 4. NVR-K1602-4K-G1 (NVR-7CK16P-G1L)

16CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 160M/80M  
8CH 1080P 30fps Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
**Local P2P, Cloud Update ,** Cloud storage  
**Telegram / SMS Notification**  
HDMI , VGA , SATA x 2(12TB HDD)  
Audio I/O : 1/ 1 , Alarm I/O : 8/ 1



141,800,000 IR

## 5. NVR-C3202-4K-G1 (NVR-7CB32P-G1L)


32CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 256M/256M  
16ch 1080P Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
**Local P2P, Cloud Update ,** Cloud storage  
**Telegram / SMS Notification**  
HDMI , VGA , SATA x 2(12TB HDD)  
Audio I/O : 1/ 1 , Alarm I/O : 8/ 1



226,500,000 IR

## 6. NVR-C3204-4K-W2 (NVR-6CB32EP-W27-4H)


32CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 256M/256M  
16ch 1080P Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
32ch 1080P Record/16ch 1080P Playback  
1 x RS485, 1 x HDMI, VGA  
**SATA x 4(12TB HDD)**  
Audio I/O:1/ 2 , Alarm I/O:16 /4



551,400,000 IR

## 7. NVR-C3208-4K-W2 (NVR-6CB32P-W26-8H)


32CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 256M/256M  
16ch 1080P Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
32ch 1080P Record/16ch 1080P Playback  
2 x RS485, 2 x HDMI, VGA  
**SATA x 8(12TB HDD), 1x eSATA**  
Audio I/O:1/ 2; Alarm I/O:16 /4



707,000,000 IR

## 8. NVR-B6408-4K-W2 (NVR-6B64P-W26-8H)

64CH , **12MP** Support  
H.265+/H.265 /H.264+/H.264  
**4K HDMI Output**  
NVR Bandwidth I/O : 320M/256M  
16ch 1080P Playback  
**SMD , Perimeter Protection ,**  
18 Smart Functions + **Face detection**  
32ch 1080P Record/16ch 1080P Playback  
2 x RS485 2 x HDMI, VGA  
**SATA x 8(12TB HDD), 1x eSATA**  
Audio I/O:1/ 2; Alarm I/O:16 /4



798,600,000 IR

گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ انتام موجودی با توجه به موجودی نمایندگان تعیین می گردد.

## Ultra Series NVR

### 9. NVR-A3208-8KR-W1

32CH, 32MP Support  
H.265+/H.265 /H.264+/H.264

8K HDMI Output

NVR Bandwidth I/O: 1024M/800M (Without Raid)

18 Smart Functions + **Face detection**

32ch 1080P Record/8CH 8Mp@30fps

2xRJ45/ 1x2.5GE Or 2x(10/100/1000Mbps)

1 x RS485, 1xRS 232, 4x HDMI, 2xVGA

SATA x 8(22TB HDD), 1x eSATA

**RAID 0, RAID 1, RAID 5, RAID 10**

Audio I/O:1/ 2; Alarm I/O:16 /8



### 10. NVR-A6408-8KR-W1

64CH, 32MP Support

H.265+/H.265 /H.264+/H.264

8K HDMI Output

NVR Bandwidth I/O: 1024M/800M (Without Raid)

18 Smart Functions + **Face detection**

32ch 1080P Record/8CH 8Mp@30fps

2xRJ45/ 1x2.5GE Or 2x(10/100/1000Mbps)

1 x RS485, 1xRS 232, 4x HDMI, 2xVGA

SATA x 8(22TB HDD), 1x eSATA

**RAID 0, RAID 1, RAID 5, RAID 10**

Audio I/O:1/ 2; Alarm I/O:16 /8



### 11. NVR-A6416-8KR-SW-Y1

64CH, 32MP Support

H.265+/H.265 /H.264+/H.264

8K HDMI Output

NVR Bandwidth I/O: 1024M/800M (Without Raid)

18 Smart Functions + **Face detection**

32ch 1080P Record/8CH 8MP@30fps

3xRJ45/ 1x2.5GE Or 3x (10/100/1000Mbps)

**2 x Gigabit SFP Port**

2 x RS485, 1xRS 232, 4x HDMI , 2xVGA

SATA x 16(22TB HDD), 2 x eSATA, **Hot-Swap HDD**

**RAID 0, RAID 1, RAID 5, RAID 10**

Audio I/O:1/ 2; Alarm I/O: 24 /8



### 12. NVR-A12816-8KR-SW-Y1

128CH, 32MP Support

H.265+/H.265 /H.264+/H.264

8K HDMI Output

NVR Bandwidth I/O: 1024M/800M (Without Raid)

18 Smart Functions + **Face detection**

32ch 1080P Record/8CH 8MP@30fps

3xRJ45/ 1x2.5GE Or 3x (10/100/1000Mbps)

**2 x Gigabit SFP Port**

2 x RS485, 1xRS 232, 4x HDMI , 2xVGA

SATA x 16(22TB HDD), 2 x eSATA, **Hot-Swap HDD**

**RAID 0, RAID 1, RAID 5, RAID 10**

Audio I/O:1/ 2; Alarm I/O: 24 /8



گارانتی ۲ ساله داتیس (سال اول بی قید و شرط)

قیمت کالا های با تگ اتمام موجودی با توجه به موجودی نمایندگان تعیین می گردد.